



A new balance of power has arrived

each 4C model features interior and exterior design elements that conspire to rouse the senses, channeling the unique Alfa Romeo spirit that is over one-hundred years in the making.

TECHNOLOGY · PERFORMANCE · STYLE

BB Stradale: the inspiration

Alfa Romeo 4C unabashedly draws its inspiration from the iconic 1967 Alfa Romeo 33 Stradale, a long-time fixture on "world's best" lists.

Alfa Romeo produced just 18 examples of the 33 Stradale, the street-legal version of the racing Type 33. It was packed with the era's most innovative technology, including a mixed-structure chassis derived from aeronautical technology using magnesium alloy and steel tubing. As seen at first glance, 33 Stradale and the 4C share the same lines, in which every single element has an essential function, and nothing is superfluous. Both convey the pure automotive passion held by every designer, engineer, driver and enthusiast that has influenced the brand, past and present.





aluminum

13

Natural elements make up the most high-tech materials in automotive engineering. The monocoque of the Alfa Romeo 4C is a single carbon fiber body similar to that of a supercar, while its crankcase and its front and rear frames combine the strength, rigidity and lightweight properties of aluminium.

Boldly innovative

Alfa Romeo has a long history of creating racetrack-inspired vehicles for the street. That is why designers incorporated some of the same innovative materials and technology found in Formula One cars and supercars.

The success Alfa Romeo has enjoyed over the years can be attributed to our long dedication to making the most efficient use of both power and weight. This challenge underlies the design of every component of the car. The latest outcome is amazing: a kerb weight of under 1,118 kg propelled by 177 kW, giving a weight-to-power ratio of 4.7 kg:1. This is a figure that promises genuine supercar agility and performance. This impressively low weight has been achieved by using ultralight materials like carbon fiber, aluminium and composites, all chosen for maximum dynamic efficiency. Just over 4 metres in length, 2 metres in width and 118 centimetres in height, the design choices of the 4C are just as bold as its dimensions. The result is fast, powerful and evolved.

carbon

26.982

SUPERCAR

CARBON FIBER CHASSIS ALUMINIUM SUBFRAMES MID-ENGINE LAYOUT

Lightveight __strength


Designed in collaboration with the world's foremost racing chassis designers, the Alfa Romeo 4C Coupe and 4C Spider are innovative at their very core. Supercar DNA runs throughout, including a carbon fiber monocoque chassis, mid-engine design and aluminium subframes.

It begins with the solid foundation of a carbon fiber monocoque chassis. Laid by hand, this carbon fiber is three times stronger and seven times lighter than conventional steel. Front and rear aluminium subframes combine strength with weight-saving technologies. Sheet Moulded Compound (SMC) is used for the outer body and is 20% lighter and more stable than steel — and also resists corrosion.

The end result of these advanced technologies is incredible strength and remarkable weight efficiency — the overall kerb weight is 1,118 kg for the 4C Coupe and 1,128 kg for the 4C Spider.



13







Master of the power and weight equation

If there's one thing Alfa Romeo has learned from years of victory on the racetracks, it's that balance is key. The mid-engine layout, rear-wheel drive and monocoque chassis give each 4C model ideal weight distribution, with amazing handling and control.

Its groundbreaking, centrally mounted aluminium engine significantly reduces weight as it eliminates the need for a driveshaft and optimizes weight distribution by concentrating mass near the centre of the vehicle.

With its rear-wheel drive, 4C makes full use of the dynamic advantages afforded by this configuration. Rear-wheel drive allows better grip under acceleration when engine power throws weight toward the rear of the car. Rear-wheel drive also lets you enter curves at higher speeds, delivering a far more intense and rewarding driving experience.

All of this means the Alfa Romeo 4C will accelerate as quickly as cars boasting higher horsepower — yet will corner sharper, brake harder, turn in quicker and respond more readily. It's the kind of gratifying response that makes each and every trip something to look forward to.





0-10d Tin 4.1 seconds

The Alfa Romeo 4C Coupe and 4C Spider make their mark with aggressive performance that's owed to innovative technology and new levels of efficiency. Their mid-engine-mounted 1750 turbocharged inline powerplant churns out some impressive numbers.

The 4C boasts 177 kW and a blazing top speed of 258 km/h. A quick look reveals an all-aluminium design with 4 valves per cylinder, a new-generation turbocharger, ultra-high-pressure direct fuel injection and a dual-core intercooler that cools intake air before it reaches the turbocharger.

A quick spin reveals an exhilarating 0 – 100 km/h in just 4.1 seconds — and large, cross-drilled, ventilated brakes take it from 100 - 0 km/h in under 30 metres.







Quick response

Optimized airflow

The advanced engine technology of the Alfa Romeo 4C maximizes torque at low engine speeds and delivers more power in response to driver input. The control unit determines the valve timing to encourage fresh airflow from the intake through to the exhaust during the overlap period. By improving the circulation in the combustion chamber, this direct flow increases combustion efficiency and turbine speed and reduces turbo lag.

Turbocharger

The engine is also equipped with a new-generation turbocharger and a pulse converter exhaust manifold that uses pressure waves to boost torque at low engine speeds. The manifold and the turbine are made from microcast steel and designed to operate at very high temperatures (over 538°C) — a prerequisite to low fuel consumption on medium/high-speed highway trips. The wastegate valve is another essential device for engine efficiency. This adjusts turbo pressure control logic to suit driving conditions, minimizing pumping losses.

After-run pump

Like all top competition cars, the 4C uses an automatic cool-down system to protect its turbocharger. Switching off the engine would normally cause the immediate stoppage of oil circulation, leaving the oil in the turbocharger to stagnate at very high temperatures. The thermal stress suffered by the oil under these conditions causes a loss of lubricating capacity and also leads to the formation of residues that can damage the engine. To prevent this, Alfa Romeo has introduced an after-run pump. This electric pump is automatically controlled by the Electronic Control Unit (ECU) and keeps oil circulating through the turbocharger until it has cooled sufficiently.







Dyhamic instinct

Overall performance is superbly enhanced with numerous features designed to hone and improve each trip. Four-mode Alfa DNA gives drivers the ability to create a customized vehicle experience according to driving conditions or desired vehicle responsiveness. Choose from its All-Weather, Natural, Dynamic or Alfa Race settings which make changes in throttle response, shifting speeds and traction control for a driving experience tailored to any situation.



Alfa Race

Alfa Race is the most extreme performance mode. By minimizing the interventions of electronic systems, it leaves the driver in complete command. Electronic Stability Control (ESC) only intervenes during aggressive braking. Anti-Slip Regulation (ASR) is deactivated under acceleration and braking, while Alfa Romeo's Q2 differential control system remains active for fast exits from bends.



Dynamic 📶

Dynamic mode helps deliver great driving performance with near-instant accelerator response and reduced gearshift times of up to 25%. The ESC¹ system only intervenes when drift angles put the car at risk.



Natural 🖳

Natural mode is designed for everyday use with gearshift parameters configured for maximum comfort and smoothness. In Manual mode, Auto-Up and Auto-Down functions shift at just the right engine speed. The Alfa Romeo Electronic Q2 differential only cuts in during a significant loss of grip.



All-Weather

All-Weather mode ensures maximum safety under adverse weather conditions with gentle accelerator response. The ASR system prevents skidding by modifying power to match road speed during loss of grip.



000960




A combination of sport suspensions, self-ventilated brake discs and different-diameter tyres: the 4C boasts an advanced ride control system, giving every driver extra street smarts.

The suspension adopts race-derived technical solutions to optimize performance and deliver unrivalled driving pleasure. At the front, the Alfa Romeo 4C features a double-wishbone configuration that gives direct and unfiltered feedback from the road. At the rear, the advanced MacPherson suspension ensures superb road-holding and driving fun, even in the most extreme manoeuvres. Both front and rear suspension systems are made from aluminium and high-strength steel.

The braking system is designed for high-performance racetrack use. The perforated, self-ventilated front discs and Brembo® calipers offer supreme stopping power. And to ensure maximum grip and prevent skidding under all conditions, the 4C is fitted with different-diameter tyres, 17" – 18" or 18" – 19," with the larger size on the rear for the best possible handling.

Advanced control







Handcrafted in Italy

In almost every aspect of the Alfa Romeo 4C, you can sense the touch of the fine craftspeople who handcraft the vehicle in the Maserati workshop located in Modena, Italy. Impeccable standards and extensive inspections ensure utmost satisfaction.

Here, the focus is always on evolved technology and top-quality craftsmanship, a combination that leads to the production of cars that are unique in technical solutions and attention to detail. No surprise that the build time for each Alfa Romeo 4C is a full six weeks.

At the 4C workshop, people make the difference. The expert technicians dedicated to the production of this new Alfa Romeo have undergone 500 hours of special training. They all have an enviable level of in-depth technical knowledge as a result.

Assembly technicians follow every phase of the process personally and, at the end of the line, perform rigorous quality control tests to ensure that all components function perfectly. The finished car is then handed over to expert test drivers for dynamic performance testing under a wide range of conditions. Only then is a new Alfa Romeo 4C declared ready to take to the road.











Beyond delivering outdoor splendour to its fullest, the open-air design of the 4C Spider includes an interior that also caters to the senses, as well. Glances turn into gazes with gleaming carbon fiber accents and vent surrounds, distinctive exterior colour-matched fabrics and trims, and contrasting stitching. Opulent materials in seating, steering wheel, shifter and other touchpoints complete the experience.



















4C Spider OPTIONS

4C SPIDER EXTERIOR/INTERIOR COMBINATIONS

	Black leather trim with Red accent stitching	Black leather trim with Yellow accent stitching	Red leather trim with Black accent stitching	Black/Tobacco leather trim with Dark Brown accent stitching*	Black leather and microfiber with Red accent stitching	Black leather and microfiber with Yellow accent stitching
PAINT COLOUR						
Black	•	_	0	0	0	_
White	•	_	٥	0	0	_
Rosso Alfa	•	_	0	0	0	
Giallo Prototipo		•	_	_	_	0
METALLIC						
Basalt Gray	•	_	0	0	0	_
TRI-COAT PAINT						
Madreperla White	•		٥	٥	0	
Rosso Competizione	•		_	0	0	_

Standard • Optional • Not available —

4C SPIDER PALETTE



Black leather trim with Red accent stitching



Black leather trim with Yellow accent stitching



Red leather trim with Black accent stitching



Black/Tobacco leather trim with Dark Brown accent stitching*



Black leather and microfiber with Red accent stitching



Black leather and microfiber with Yellow accent stitching



Black



Basalt Gray



Rosso Competizione



White



Madreperla White



Rosso Alfa



Giallo Prototipo



17" - 18" alloy wheels



17" - 18" dark alloy wheels



18" - 19" 5-hole alloy wheels

4C SPIDER WHEELS



18" - 19" 5-hole dark alloy wheels



18" - 19" light alloy fan spoke wheels



18" - 19" dark alloy fan spoke wheels

4C SPIDER OPTIONS



Centre exhaust*



Carbon fiber halo*



4C COUPE EXTERIOR/INTERIOR COMBINATIONS

	Black fabric with Red accent stitching	Black leather trim with Red accent stitching	Red leather trim with Black accent stitching	Black/Tobacco leather trim with Dark Brown accent stitching*	Black leather and microfiber with Red accent stitching
PAINT COLOUR					
Black	•	0	0	0	0
White	•	0	0	0	0
Rosso Alfa	•	0	0	0	0
METALLIC					
Basalt Gray	•	0	0	0	0
TRI-COAT PAINT					
Madreperla White	•	0	0	0	0
Rosso Competizione	•	0	_	0	0

*Late availability.

Standard • Optional • Not available —

4C COUPE PALETTE



Black fabric with Red accent stitching



Black leather trim with Red accent stitching



Red leather trim with Black accent stitching



Black/Tobacco leather trim with Dark Brown accent stitching*

Black leather and microfiber with Red accent stitching





Black



Basalt Gray



White



Madreperla White



Rosso Competizione



Rosso Alfa



17" - 18" alloy wheels



17" - 18" alloy wheels with Matte Black diamond finish



18" - 19" 5-hole alloy wheels

COUPE WHEELS 4 C



18" - 19" 5-hole dark alloy wheels



Silver brake calipers



Yellow brake calipers



Red brake calipers



Black brake calipers



Racing double exhaust tail pipe



Satin Titanium-finish mirrors




Body-colour spoiler



Bi-xenon projector headlights



Carbon fiber mirror



Carbon fiber spoiler

EQUIPMENT

EUUIPMENI		
EXTERIOR EQUIPMENT	4C COUPE	4C SPIDER
17" - 18" alloy wheels	•	•
17" - 18" alloy wheels with Matte Black diamond finish	0	_
17" - 18" dark alloy wheels	_	0
18" - 19" 5-hole alloy wheels	0	0
18" - 19" 5-hole dark alloy wheels	0	0
18" – 19" light alloy fan spoke	_	o
18" - 19" dark alloy fan spoke	_	0
Silver brake calipers	•	•
Black brake calipers	0	0
Yellow brake calipers	0	0
Red brake calipers	0	o
Akrapovič dual-mode exhaust system featuring dual, centre-mounted tips with carbon fiber surround	0	_
LIGHTING SYSTEM		
LED rear lights	•	•
Halogen projector headlights	•	•
Bi-xenon projector headlights	0	0
SAFETY		
Electronic Stability Control (ESC) ¹ with Electronic Q2	•	•
ABS, traction control, Brake Assist, daytime running lights, Hill Holder	•	•
Driver and passenger-front airbags, driver's-side knee airbag, door-mounted side thorax airbags	•	•
Tyre Pressure Monitoring System		•
Tyre kit	•	•
Engine immobilizer	•	•

Standard • Optional • Not available —

EOLIIDMENT

EQUIPMENT (continued)		
INTERIOR EQUIPMENT	4C COUPE	4C SPIDER
Height- and reach-adjustable steering wheel in leather	•	•
Paddle gearshift controls	•	•
Sport seats in Black fabric with accent stitching	•	_
Sport seats in Black leather trim with accent stitching	0	•
Sport seats in Black/Tobacco leather trim with accent stitching	0	0
Aluminium pedals and footrest	•	•
Aluminium passenger footrest	•	•
Carpet kit with embroidered logo	•	•
Cup holder	•	•
ELECTRICAL SYSTEM		
Remote keyless entry	•	•
Power windows	•	•
12-volt power outlet	•	•
AM/FM radio with iPod® control, USB and SD card connectivity, Bluetooth® for hands-free calling and music streaming with four speakers	•	•
Alpine® Hi-Fi Sound System	0	0
Power door mirrors	•	•
Door mirrors with electric defrosting	•	•
INSTRUMENTATION		
4-position, Alfa DNA driving mode selector	•	•
Instrumentation with turbo pressure and oil temperature gauges, G-meter for longitudinal and transverse acceleration	•	•
Full-digital instrument cluster with Thin Film Transistor (TFT)	•	•
Air conditioning system	•	•

Standard • Optional • Not available —



Sport steering wheel in leather with microfiber insert and Red stitching



Sport seats in Red leather



Full-digital instrument cluster with Thin Film Transistor (TFT) display and 4-position, Alfa DNA driving mode selector carbon fiber cluster surround






Red car cover with Alfa Romeo 4C logo

TECHNICAL SPECIFICATIONS

TECHNICAL SPECI		
ENGINE		
Туре	1750 turbocharged, aluminium, 4-cylinder	
Position	Mid-engine	
Orientation	Transverse	
Displacement (cc)	1,742	
Maximum power (kW at rpm)	177 @ 6,000	
Maximum torque (NM at rpm)	350 between 2,200 - 4,250	
DRIVING MODE SELECTOR		
Туре	Alfa DNA	
Positions	All-Weather, Natural, Dynamic, Alfa Race	
TRANSMISSION		
Gearbox	ALFA TCT with dual dry clutch, paddle controls and Launch Control	
Number of gears	6 + R	
Drive	Rear	
Differential	Electronic Q2	
CHASSIS		
Туре	Genuine carbon fiber monocoque	
Front suspension	Double-wishbone	
Rear suspension	MacPherson	
Front brakes (mm)	Dual-cast, perforated, self-ventilated 305 x 28 discs Brembo® fixed 4-piston calipers	
Rear brakes (mm)	Perforated, self-ventilated 292 x 22 discs	
Standard front tyres	205/45Z R17 88Y XL three-season performance	
Standard rear tyres	235/40Z R18 95Y XL three-season performance	
STEERING		
Steering box	Rack and pinion	
PERFORMANCE		
Acceleration 0 - 100 km/h (secs)	4.1	
Top speed (km/h)	258	
Maximum deceleration under braking (g)	1.25	
Maximum lateral acceleration (g)	1.1	
CAPACITIES — WEIGHTS		
Kerb weight (kg)	1,118 4C Coupe 1,128 4C Spider	
Fuel tank (litre)	40	
FUEL ECONOMY		
EPA est. city/hwy/combined	9.7 L/100 city 6.9 L/100 highway	
DIMENSIONS		
Number of seats	2	
Length (mm)	3,989	
Width (mm)	1,868	
Height (mm)	1,183 4C Coupe 1,185 4C Spider	
<u></u> ,		
Wheelbase (mm)	2,380	



1750 turbocharged, aluminum, 4-cylinder engine



ALFA TCT gearbox with dual dry clutch, paddle controls and Launch Control



Dual-cast, perforated, self-ventilated, 305 x 28-mm front discs with Brembo® fixed 4-piston calipers



Genuine carbon fiber monocoque chassis



alfaromeo.co.za

DISCLAIMER:

DISCLAIMER:

The information contained in this brochure is provided as is and without any warranties of any kind, whether expressed or implied, including but not limited to, implied warranties of satisfactory quality, fitness for a particular purpose and/or correctness. The contents of this brochure is for general information purposes only and does not constitute advice. Fiat Group Automobiles South Africa (Pty) Ltd does not represent or warrant that the information and/or specifications contained in this brochure are accurate, complete or current and specifically stipulate that certain vehicle details and specifications contained in this brochure may differ in available models. Therefore, Fiat Group Automobiles South Africa (Pty) Ltd makes no warranties or representations regarding the use of the content, details, specifications or information contained in this brochure in terms of their correctness, accuracy, adequacy, usefulness, timeliness, reliability or otherwise, in each case to the fullest extent permitted by law.